



<b>Scientific name</b>	<i>Cakile maritima</i> – <i>Atriplex prostrata</i> strandline community
<b>Common name</b>	Sea Rocket – Spear-leaved Orache strandline community
<b>Community code</b>	ST1B

### Vegetation

This a patchy community characterised by clumps of *Cakile maritima*. *Atriplex prostrata* is frequently present but offers very sparse cover. Occasionally encountered are *Atriplex laciniata*, *Leymus arenarius* and prickly patches of *Salsola kali*.

### Ecology

This is a loose assemblage of drift lines, occurring in a narrow linear zone along the high tide mark on sandy beaches.

### Sub-communities

No sub-communities are described.

### Similar communities

The abundance of *Cakile maritima* serves to distinguish this community from other strandline types.

### Records and distribution

#### Number of records (all)

Clearly assigned:	9
Transitional:	1
Total:	10

#### Number of records (mapped)

2001-2017:	3
1986-2000:	7
1971-1985:	0
Pre-1971:	0
Total:	10

#### Number of hectads (most recent records)

2001-2017:	2
1986-2000:	7
1971-1985:	0
Pre-1971:	0
Total:	9

#### Number of hectads (all mapped records)


2001-2017:	2
1986-2000:	7
1971-1985:	0
Pre-1971:	0

#### Number of records

- 1-3
- 4-10
- 11-25
- 26+

#### Most recent record

- 2001-2017
- 1986-2000
- 1971-1985
- pre-1971



### Synoptic table (n = 9)

Species	Frequency	Cover	Species	Frequency	Cover
	(from I-V)	min (med) max		(from I-V)	min (med) max
<i>Cakile maritima</i>	V	+-(4)-6			
<i>Atriplex prostrata</i>	III	+-(1)-3			
<i>Salsola kali</i>	II	+-(+)-5			
<i>Atriplex laciniata</i>	II	3-(3)-3			
<i>Leymus arenarius</i>	II	2-(3)-3			
<i>Beta vulgaris</i>	I	+-(+)-+			
<i>Ammophila arenaria</i>	I	2-(2)-2			
<i>Atriplex glabriuscula</i>	I	+-(+)-+			

#### Affinities

GHI: LS1 Shingle and gravel shores / LS2 Sand shores

ZM: JC *Cakiletea maritimae* (88.9%)

EUNIS: B2.12 Atlantic and Baltic shingle beach drift lines / B1.12 Middle European sand beach annual communities

NVC: SD2 *Honckenya peploides* – *Cakile maritima* strandline community (60.3%)

Annex I: 1210 Drift lines

#### Proxy environmental data

Light: 8.9 Reaction: 6.9 Wetness: 5.9 Fertility: 6.9 Salinity: 2.9

#### Conservation value

Most examples of this species-poor vegetation correspond to EU HD Annex I habitat 1210 Drift lines

#### Management

This is unstable and dynamic habitat that does not require active management. It is threatened however by recreational pressure, mechanical beach cleaning and the creation of coastal defences which can interfere with sediment dynamics.

#### Key references

Delaney, A., Devaney, F.M., Martin, J.M., Barron, S.J. (2013) Monitoring survey of Annex I sand dune habitats in Ireland. *Irish Wildlife Manuals*, No. 75. National Parks and Wildlife Service, Department of Arts, Heritage and the Gaeltacht, Dublin.

Crawford, I., Bleasdale, A., Conaghan, J. (1996) Biomar survey of Irish machair sites 1996. Volume 2: Plant communities. (unpublished). National Parks and Wildlife Service, Dublin.

Gaynor, K. (2007) Flora and vegetation of Irish sand dune systems. (Ph.D. thesis). University College Dublin.

Synopsis version: V1.0

Synopsis date: November 2019

Synopsis author(s): P.M. Perrin





Photo 1. ST1B *Cakile maritima* – *Atriplex prostrata* strandline community, Castlegregory, Kerry  
(A. Delaney, September 2011)



Photo 2. Plot recording in vegetation ascribable to ST1B *Cakile maritima* – *Atriplex prostrata* strandline community, North Bull Island, Dublin (J. Martin, August 2019)